

N98 **MPOS Terminal**

Small and lightweight, easy to connect



Flexible Platform

Compatible with multiple platforms - iOS / Android / Windows Supports Bluetooth connectivity.





Security and Reliability

PCI PTS 5.x, EMV L1&L2, EMV Contactless, Paypass and Paywave etc. Accepts EMV smart cards, magnetic stripe and contactless transactions.

Supporting All Payments

It supports various payment methods, such as magnetic card, IC card and contactless transaction. A machine can be used for various forms, making collection simple.



Specifications

CPU

32-bit secure processor

Memory

FLASH: 8MB
SRAM: 256KB

Display

1.4", 128 X 64 pixels
white LED backlight

Keypad

10 Numeric keys
5 Function keys
1 Power key

Card Reader

Magnetic Card Reader
Smart Card Reader
Contactless Card Reader

Communication

Bluetooth 4.2

Audio

1 Buzzer

Peripheral Ports

1 x Micro USB Device

Battery

Rechargeable Li-ion battery
3.7V/250mAh

Working Environment

Temperature:
0°C~50°C(32°F~122°F)
Humidity:
5%~95% (non-condense)

Storage Environment

Temperature:
-20°C~60°C(-4°F~140°F)
Humidity:
5%~95% (non-condense)

Certifications

PCI PTS 5.X. EMV L1 & L2 EMV
Contactless L1, Paypass,
Paywave, American Express Pay.
Discover D-PASTOM, ABECS,
Anatel, ROHS ABECS. Anatel,
RoHS, etc.

Dimensions

LXWXH(mm):90x59X16

Weight

70g